A. I. A. FILE NO. 29-H

RANCH HOMES • CLUB HOUSES • MEDICAL OFFICES • DAIRIES • BARS • TRAILERS • APARTMENTS • HOMES • LABORATORIES • HOSPITALS • CABINS • SCHOOLS • RESTAURANTS • RANCH HOMES • CLUB HOUSES • CHURCHES • PATIOS • CANNERIES • LAUNDRIES • BEACH HOMES • CHURCHES

THE WORLD OVER
ROTO-GLOSS
STAINLESS STEEL
SINKS
ZEIGLER-HARRIS & CO., BURBANK, CALIF.

Stainless Steel
SINKS & DRAINBOARDS

CATALOG NO. 4

Zeigler-Harris & Co.
2900 NO. SAN FERNANDO RD.
BURBANK, CALIFORNIA

Distributed through the
PLUMBING AND SHEET METAL TRADE

A. I. A. FILE NO. 29-H

BS LINFOOT



We are proud to present the new Zeigler-Harris Catalog to our customers, whose loyalty and confidence throughout the years has made possible the Roto-Gloss line of today.

It is our aim and responsibility, through unceasing research and development, to improve our products and distribution for the benefit of all concerned.

The ever-increasing demand for Roto-Gloss Stainless Steel Sinks has brought about a threefold expansion of our manufacturing facilities, enabling us to add more new products, such as drain boards, counter tops, stove tops, and many other items to the Roto-Gloss family.

Our years of experience in the exclusive manufacture of stainless steel products, is your assurance of highest quality.

Zeigler-Harris & Co.

TCAT
1955
Zeigler

ocn 852797863
7/15/13

ORDERING INFORMATION

NOTES

1. Custom sinks, drainboards, counter tops, electric or gas stove tops, etc., of all sizes fabricated to specifications submitted.
2. Indicate raised edge, flat flange or positive seal flange by using letter F, R or PSFL after model number.

EXAMPLE: A-10-7-F (for flat flange), or A-10-7-R (for raised edge, for tiling), A-10-7-PSFL (positive seal flange) for linoleum, plastic or wood sink tops.

3. All flanges on flat rim sinks have 1½" radius corners unless otherwise specified.
4. ***Please furnish complete hole punching information for faucet and drain holes. Indicate type of fixture to be used.***

EXAMPLE: Punch ledge, 3 holes, 4" center to center standard. Provide 4th hole for spray attachment, left or right side. Drain opening 3½".

Punch two holes, 4" center to center. Standard center-set. Drain opening 2".

Leave ledge plain, no holes.

Punch ledge for_____

_____

Name and fixture number

Sequoia Lavatory—Punch 3 holes, 2" center to center, or 3 holes 6" center to center. Center hole for pop-up rod.

CAUTION: ***Specify Type 316 Stainless Steel for Photographic sinks. When sinks are used for other chemical requirements metallurgical data for correct application will be furnished on request.***

GENERAL INFORMATION

Sink bowls may be purchased without drain hole in bottom to facilitate special uses as per customers requirements.

Suitable fixtures and strainers will be supplied if not available to customer.

All models having the standard 3½" drain opening are recommended for use with garbage disposal units. For dimensional clarification in figuring double or multiple units welded together, allow ¾" for sink partition, plus both flange dimensions. (Flat flange 1" to 1½"; positive seal flange 1¾").

All models are drawn from 17 gauge 18-8 type 302 stainless steel.

Specify stainless steel crumb cup strainers for 3½" drain openings.

All models quoted less fixtures and strainers.

All sizes are approximate.

All models supplied less drain openings for use as clay bins for school construction.

Please give full information when ordering so that your order may be processed without delay.

All prices F.O.B. Burbank, California. Prices subject to change without notice.

SHIPPING INFORMATION

All sinks packed in single cartons. Additional charge for export crating. F.O.B. Burbank, California.

Specify ROTO-GLOSS finish - easy to keep clean - ageless beauty

Roto-Gloss is an exclusive finish featured on all sinks, drain boards, counter tops, electric or gas stove tops, etc., manufactured by Zeigler-Harris Co. No other sinks have Roto-Gloss. It is your guide to the finest in Stainless Steel products.

Printed in U.S.A.



A-10 PSFL

Coronado Standard

Double Compartment - Ledgeback

POSITIVE SEAL FLANGE — See page 29 for installation

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-10 PSFL	7½, 10, 12	32⅝ x 22½	28¾ x 17
B-10 PSFL	7½, 10, 12	38¼ x 19½	34¾ x 14

Coronado Standard—Combination Deep & Shallow—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-11 PSFL	7½ & 10 7½ & 12	32¾ x 22⅝	28¾ x 17
B-11 PSFL	7½ & 10 7½ & 12	38¼ x 22¼	28¾ x 17

Coronado Commercial—Double Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-20 PSFL	7½, 10, 12	47¾ x 21	44¼ x 15¾
B-20 PSFL	7½, 10, 12	35⅞ x 27⅛	32¼ x 21¾

Coronado Utility or Bar—Double Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-50 PSFL	6, 8, 10, 12	28⅜ x 19½	24¾ x 14
B-50 PSFL	6, 8, 10, 12	31⅜ x 17⅜	28¾ x 12
A-54 PSFL	6, 9, 10	23¾ x 19¾	19¾ x 14½
B-54 PSFL	6, 9, 10	33½ x 14⅝	29¾ x 9½

Coronado Commercial—Triple Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-310 PSFL	7½, 10, 12	52½ x 27⅙	49 x 21¾
B-310 PSFL	7½, 10, 12	70½ x 21⅛	67 x 15¾

Coronado Standard—Triple Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-325 PSFL	7½, 10, 12	47⅝ x 22¼	44⅛ x 16⅞
B-325 PSFL	7½, 10, 12	55⅞ x 19½	52⅜ x 14⅛

Drain Openings 1⅝", 2" or 3½"
Specify Hole Punching for Faucets



A-40 PSFL

Coronado Commercial

Combination Deep & Shallow - Ledgeback

POSITIVE SEAL FLANGE — See page 29 for installation

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-40 PSFL	7½ & 10	47¾ x 21	44¼ x 15¾
B-40 PSFL	7½ & 10	35⅞ x 27⅛	32¼ x 21¾

Drain Openings 1⅝", 2" or 3½"
Specify Hole Punching for Faucets
All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



A-290 PSFL

Coronado Utility or Bar

Triple Compartment - Ledgeback

POSITIVE SEAL FLANGE — See page 29 for installation

Coronado Utility or Bar—Triple Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-290 PSFL	6, 8, 10, 12	41 1/8 x 19 3/8	37 5/8 x 14
S-295 PSFL	6, 9, 10	33 1/2 x 19 7/8	30 x 14 1/2

Drain Openings 1 5/8", 2" or 3 1/2"



A-60 PSFL

Arrowhead Standard

Double Compartment - No Ledge

POSITIVE SEAL FLANGE — See page 29 for installation

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-60 PSFL	7 1/2, 10, 12	32 1/4 x 20 3/8	28 3/4 x 17
B-60 PSFL	7 1/2, 10, 12	38 1/4 x 17 1/2	34 3/4 x 14

Arrowhead Standard—Combination Deep & Shallow—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-61 PSFL	7 1/2 & 10 7 1/2 & 12	32 1/4 x 20 3/8	28 3/4 x 17
B-61 PSFL	7 1/2 & 10 7 1/2 & 12	38 1/4 x 17 1/2	34 3/4 x 14

Arrowhead Commercial—Double Compartment—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-70 PSFL	7 1/2, 10, 12	47 3/4 x 19 1/4	44 1/4 x 15 3/4
B-70 PSFL	7 1/2, 10, 12	35 3/4 x 25 1/4	32 1/4 x 21 3/4

Arrowhead Commercial—Combination Deep & Shallow—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-90 PSFL	7 1/2 & 10 7 1/2 & 12	47 3/4 x 19 1/4	44 1/4 x 15 3/4
B-90 PSFL	7 1/2 & 10 7 1/2 & 12	35 3/4 x 25 1/4	32 1/4 x 21 3/4

Arrowhead Utility or Bar—Double Compartment—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-100 PSFL	6, 8, 10, 12	28 1/4 x 17 1/2	24 3/4 x 14
B-100 PSFL	6, 8, 10, 12	32 1/4 x 15 1/2	28 3/4 x 12
A-104 PSFL	6, 9, 10	23 1/4 x 18	19 3/4 x 14 1/2
B-104 PSFL	6, 9, 10	33 1/4 x 13	29 3/4 x 9 1/2

Arrowhead Commercial—Triple Compartment—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-300 PSFL	7 1/2, 10, 12	52 1/2 x 25 1/4	49 x 21 3/4
B-300 PSFL	7 1/2, 10, 12	70 1/2 x 19 1/4	67 x 15 3/4

Arrowhead Standard—Triple Compartment—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-315 PSFL	7 1/2, 10, 12	47 5/8 x 20 3/8	44 1/8 x 16 7/8
B-315 PSFL	7 1/2, 10, 12	55 7/8 x 17 5/8	52 3/8 x 14 1/8

Drain Openings 1 5/8", 2" or 3 1/2"

All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified

Specify Hole Punching for Faucets



A-280 PSFL

Arrowhead Utility or Bar

Triple Compartment - No Ledge

POSITIVE SEAL FLANGE — See page 29 for installation

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-280 PSFL	6, 8, 10, 12	41⅛ x 17½	37⅝ x 14
S-285 PSFL	6, 9, 10	33½ x 18	30 x 14½

Drain Openings 1⅝", 2" or 3½"



A-120 PSFL

Catalina Standard

Single Compartment - Ledgeback

POSITIVE SEAL FLANGE — See page 29 for installation

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-120 PSFL	7½, 10, 12	20⅝ x 19⅜	17 x 14

Catalina Commercial—Single Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-130 PSFL	7½, 10, 12	25¼ x 21⅛	21¾ x 15¾

Catalina Utility or Bar—Single Compartment—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-150 PSFL	6, 8, 10	17½ x 17⅜	14 x 12
A-154 PSFL	6, 9, 10	18 x 14⅞	14½ x 9½

Catalina Combination—Deep & Shallow—Ledgeback

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-170 PSFL	7½ & 10	40 x 22⅜	36½ x 15¾

Drain Openings 1⅝", 2" or 3½" All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified
Specify Hole Punching for Faucets



A-180 PSFL

Cascade Standard

Single Compartment - No Ledge

POSITIVE SEAL FLANGE — See page 29 for installation

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-180 PSFL	7½, 10, 12	20½ x 17½	17 x 14

Cascade Commercial—Single Compartment—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-190 PSFL	7½, 10, 12	25¼ x 19¼	21¾ x 15¾

Cascade Utility or Bar—Single Compartment—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-210 PSFL	6, 8, 10, 12	17½ x 15½	14 x 12
A-214 PSFL	6, 9, 10	18 x 13	14½ x 9½

Cascade Combination—Deep & Shallow—No Ledge

Model No.	Bowl Depth	Outside Dimension	Inside Dimension
A-230 PSFL	7½ & 10	40¼ x 20½	36½ x 17

Drain Openings 1⅝", 2" or 3½" All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



A-10 F
Coronado Standard
Double Compartment Ledgeback



DRAIN SIZES:
1⅝", 2" or 3½".

B-10 F



Specify Hole Punching for Faucets

A-11 F
Coronado Standard
Double Compartment Combination Deep & Shallow Ledgeback



Specify Hole Punching for Faucets

B-11 F



DRAIN SIZES: 1⅝", 2" or 3½".



A-20 F
Coronado Commercial
Double Compartment Ledgeback



DRAIN SIZES:
1⅝", 2" or 3½".

B-20 F



Specify Hole Punching for Faucets



A-40 F
Coronado Commercial
Double Compartment Combination Deep & Shallow Ledgeback



Specify Hole Punching for Faucets

B-40 F



DRAIN SIZES: 1⅝", 2" or 3½".



A-50 F
Coronado Utility or Bar
Double Compartment Ledgeback



Specify Hole Punching for Faucets

B-50 F



DRAIN SIZES: 1⅝", 2" or 3½".



A-54 F
Coronado Utility or Bar
Double Compartment Ledgeback



Specify Hole Punching for Faucets

B-54 F



DRAIN SIZES: 1⅝", 2" or 3½".

All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



A-290 F
Coronado Utility or Bar
Triple Compartment Ledgeback



Specify Hole Punching for Faucets

DRAIN SIZES: 1⅝", 2" or 3½".



S-295 F
Coronado Utility or Bar
Triple Compartment Ledgeback

DRAIN SIZES: 1⅝", 2" or 3½".



Specify Hole Punching for Faucets



A-310 F
Coronado Commercial
Triple Compartment Ledgeback

DRAIN SIZES: 1⅝", 2" or 3½".

Specify Hole Punching for Faucets



B-310 F





A-325 F
Coronado Commercial
Triple Compartment Ledgeback

DRAIN SIZES: 1⅝", 2" or 3½".

Specify Hole Punching for Faucets



B-325 F





A-60 F
Arrowhead Standard
Double Compartment No Ledge

B-60 F





DRAIN SIZES: 1⅝", 2" or 3½".

A-61 F
Arrowhead Standard
Double Compartment Combination Deep & Shallow No Ledge

B-61 F





DRAIN SIZES: 1⅝", 2" or 3½".

All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



A-70 F
Arrowhead Commercial
Double Compartment
No Ledge





DRAIN SIZES: 1 5/8", 2" or 3 1/2".

B-70 F



A-90 F
Arrowhead Commercial
Combination Deep & Shallow No Ledge





DRAIN SIZES: 1 5/8", 2" or 3 1/2".

B-90 F



A-100 F
Arrowhead Utility or Bar
Double Compartment
No Ledge

B-100 F





DRAIN SIZES: 1 5/8", 2" or 3 1/2".



A-104 F
Arrowhead Utility or Bar
Double Compartment
No Ledge

B-104 F





DRAIN SIZES: 1 5/8", 2" or 3 1/2".



A-280 F
Arrowhead Utility or Bar
Triple Compartment
No Ledge



DRAIN SIZES: 1 5/8", 2" or 3 1/2".





S-285 F
Arrowhead Utility or Bar
Triple Compartment
No Ledge



DRAIN SIZES: 1 5/8", 2" or 3 1/2".



All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



A-300 F
Arrowhead Commercial
Triple Compartment No Ledge





DRAIN OPENING
1⅝", 2" or 3½".

B-300 F





A-315 F
Arrowhead Standard
Triple Compartment No Ledge





DRAIN OPENING
1⅝", 2" or 3½".

B-315 F



A-120 F
Catalina Standard
Single Compartment Ledgeback





DRAIN OPENING
*Optional 1⅝", 2", or 3½"

Specify Hole Punching for Faucets



A-130 F
Catalina Commercial
Single Compartment Ledgeback





DRAIN OPENING
*Optional 1⅝", 2", or 3½"

Specify Hole Punching for Faucets

A-150 F
Catalina Utility or Bar
Single Compartment Ledgeback





DRAIN OPENING
*Optional 1⅝", 2", or 3½"

Specify Hole Punching for Faucets

A-154 F
Catalina Utility or Bar
Single Compartment Ledgeback





DRAIN OPENING
*Optional 1⅝", 2", or 3½"

Specify Hole Punching for Faucets



A-170 F
Catalina Combination



Deep & Shallow
Ledgeback



DRAIN OPENING
*Optional 1⅝", 2", or 3½"

Specify hole punching for faucets



A-180 F
Cascade Standard



Single Compartment
No Ledge



DRAIN OPENING
*Optional 1⅝", 2", or 3½"



A-190 F
Cascade Commercial



Single Compartment
No Ledge



DRAIN OPENING
*Optional 1⅝", 2", or 3½"



A-210 F
Cascade Utility or Bar



Single Compartment
No Ledge



DRAIN OPENING
*Optional 1⅝", 2", or 3½"



A-214 F
Cascade Utility or Bar



Single Compartment
No Ledge



DRAIN OPENING
*Optional 1⅝", 2", or 3½"



A-230 F
Cascade Combination



Deep & Shallow
No Ledge



DRAIN OPENING
*Optional 1⅝", 2", or 3½"

All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified.



A-120 SDT

Catalina Standard

Drain Top

Single Compartment

Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-120 SDT





A-130 SDT

Catalina Commercial

Drain Top

Single Compartment

Ledgeback



POSITIVE SEAL FLANGE
See Page 29 for installation

Specify Hole Punching for Faucets



A-150 SDT

Catalina Utility or Bar

Drain Top

Single Compartment

Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-150 SDT





A-154 SDT

Catalina Utility or Bar

Drain Top

Single Compartment

Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-154 SDT





A-180 SDT

Cascade Standard

Drain Top

Single Compartment

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



B-180 SDT





A-190 SDT

Cascade Commercial

Drain Top

Single Compartment

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation





A-210 SDT

Cascade Utility or Bar

Drain Top

Single Compartment

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



B-210 SDT





A-214 SDT

Cascade Utility or Bar

Drain Top

Single Campartment

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



B-214 SDT





A-10 DDT

Coronado Standard

Drain Top

Double Compartment

Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-10 DDT





A-20 DDT

Coronado Commercial

Drain Top

Double Compartment

Ledgeback



POSITIVE SEAL FLANGE
See Page 29 for installation

B-20 DDT

Specify Hole Punching for Faucets





A-50 DDT

Coronado Utility or Bar

Drain Top

Double Compartment

Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-50 DDT





A-54 DDT

Coronado Utility or Bar

Drain Top

Double Compartment

Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-54 DDT





A-60 DDT
Arrowhead Standard
Double Compartment

Drain Top

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



B-60 DDT





A-70 DDT
Arrowhead Commercial
Double Compartment

Drain Top

No Ledge



B-70 DDT

POSITIVE SEAL FLANGE
See Page 29 for installation





A-100 DDT
Arrowhead Utility or Bar
Double Compartment

Drain Top

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



B-100 DDT





A-104 DDT
Arrowhead Utility or Bar
Double Compartment

Drain Top

No Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



B-104 DDT





A-120 DDT
Catalina Standard
Single Compartment

Drain Top

Ledgeback





POSITIVE SEAL FLANGE
See Page 29 for installation

B-120 DDT

Specify Hole Punching for Faucets





A-130 DDT
Catalina Commercial
Single Compartment

Drain Top **Ledgeback**

POSITIVE SEAL FLANGE
See Page 29 for installation



Specify Hole Punching for Faucets



B-150 DDT
Catalina
Utility or Bar

Drain Top

Single Compartment

Ledgeback

POSITIVE SEAL FLANGE
See Page 29 for installation



A-150 DDT

Specify Hole Punching for Faucets





B-180 DDT
Cascade
Standard

Single Compartment

No Ledge

Drain Top

POSITIVE SEAL FLANGE
See Page 29 for installation



A-180 DDT





B-154 DDT
Catalina
Utility or Bar

Drain Top

Single Compartment

Ledgeback

POSITIVE SEAL FLANGE
See Page 29 for installation



A-154 DDT

Specify Hole Punching for Faucets





A-190 DDT
Cascade
Commercial

Single Compartment

No Ledge

Drain Top

POSITIVE SEAL FLANGE
See Page 29 for installation



B-190 DDT





B-210 DDT
Cascade
Utility or Bar

Single Compartment

No Ledge

Drain Top

POSITIVE SEAL FLANGE
See Page 29 for installation



A-210 DDT





A-11 DDT
Coronado
Standard

Drain Top

Deep & Shallow

Combination

Ledgeback



B-11 DDT

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE — See page 29 for installation

All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



A-40 DDT
Coronado Commercial
Drain Top Combination
Deep & Shallow
Ledgeback

Specify Hole Punching for Faucets



B-40 DDT



POSITIVE SEAL FLANGE — See page 29 for installation



A-61 DDT
Arrowhead Standard
Drain Top Combination
Deep & Shallow
No Ledge



B-61 DDT



POSITIVE SEAL FLANGE — See page 29 for installation



A-90 DDT
Arrowhead Commercial
Drain Top Combination
Deep & Shallow
No Ledge



B-90 DDT



POSITIVE SEAL FLANGE — See page 29 for installation



A-170 DDT
Catalina Combination
Drain Top
Deep & Shallow
Ledgeback

POSITIVE SEAL FLANGE
See Page 29 for installation



Specify Hole Punching for Faucets



A-230 DDT
Cascade Commercial
Drain Top Combination
Deep & Shallow
No Ledge



POSITIVE SEAL FLANGE
See Page 29 for installation



A-120 DF3
Catalina Standard
Drinking Fountain
Single Compartment
3 Ledge

POSITIVE SEAL FLANGE
See Page 29 for installation



Specify Hole Punching for Faucets

All Deep & Shallow Ledgeback Sinks Furnished R.H. or L.H. as Specified



POSITIVE SEAL FLANGE
See Page 29 for installation

B-120 DF2
Catalina Standard

Drinking Fountain

Single Compartment

2 Ledge



Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-120 DF3
Catalina Standard

Drinking Fountain

Single Compartment

3 Ledge



Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

A-130 DF2
Catalina Commercial

Drinking Fountain

Single Compartment

2 Ledge



Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

A-130 DF3
Catalina Commercial

Drinking Fountain

Single Compartment

3 Ledge



Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

A-150 DF3
Catalina Utility or Bar

Drinking Fountain

Single Compartment

3 Ledge



Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE
See Page 29 for installation

B-150 DF3
Catalina Utility or Bar

Drinking Fountain

Single Compartment

3 Ledge



Specify Hole Punching for Faucets

POSITIVE SEAL FLANGE
See Page 29 for installation

B-150 DF2
Catalina Utility or Bar

Single Compartment Drinking Fountain

2 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

A-180 DF2
Cascade Standard

Single Compartment Drinking Fountain

2 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

B-180 DF1
Cascade Standard

Single Compartment Drinking Fountain

1 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

B-180 DF2
Cascade Standard

Single Compartment Drinking Fountain

2 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

A-190 DF1
Cascade Commercial

Single Compartment Drinking Fountain

1 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

A-190 DF2
Cascade Commercial

Single Compartment Drinking Fountain

2 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

B-190 DF2
Cascade Commercial
Single Compartment Drinking Fountain
2 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

A-210 DF2
Cascade Utility or Bar
Single Compartment Drinking Fountain
2 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

B-210 DF1
Cascade Utility or Bar
Single Compartment Drinking Fountain
1 Ledge

Specify Hole Punching for Faucets





POSITIVE SEAL FLANGE
See Page 29 for installation

B-210 DF2
Cascade Utility or Bar
Single Compartment Drinking Fountain
2 Ledge

Specify Hole Punching for Faucets





B-120 DFD
Catalina Standard
Drinking Fountain
Single Compartment
Drain Top Ledgeback



POSITIVE SEAL FLANGE
See page 29 for installation

A-120 DFD

Specify Hole Punching for Faucets





A-130 DFD
Catalina Commercial
Single Compartment Drinking Fountain
Drain Top Ledgeback

Specify Hole Punching for Faucets



POSITIVE SEAL FLANGE — See page 29 for installation



A-150 DFD
Catalina Utility or Bar

Drinking Fountain
Drain Top
Single Compartment
Ledgeback

Specify Hole Punching for Faucets



B-150 DFD

POSITIVE SEAL FLANGE
See page 29 for installation





B-180 DFD
Cascade Standard

Drinking Fountain
Drain Top



Single Compartment
No Ledge

Specify Hole Punching for Faucets

A-180 DFD

POSITIVE SEAL FLANGE
See page 29 for installation





A-190 DFD
Cascade Commercial

Drinking Fountain
Drain Top



Single Compartment
No Ledge

Specify Hole Punching for Faucets

B-190 DFD

POSITIVE SEAL FLANGE
See page 29 for installation





A-210 DFD
Cascade Utility or Bar

Drinking Fountain
Drain Top



Single Compartment
No Ledge

Specify Hole Punching for Faucets

B-210 DFD

POSITIVE SEAL FLANGE
See page 29 for installation





A-320 R
Sequoia Lavatory

Tile-in Type
Ledgeback



Specify Hole Punching for Faucets



A-330
Sequoia Lavatory

Wall Type
Ledgeback



Specify Hole Punching for Faucets



A-340 F
Sequoia Lavatory



Specify Hole Punching for Faucets

A-350 PSFL
Sequoia Lavatory

POSITIVE SEAL FLANGE

See page 29 for installation



Specify Hole Punching for Faucets



A-360
Sequoia Lavatory
Wall Type
Ledgeback



Specify Hole Punching for Faucets



A-380 F
Sequoia Lavatory
Ledgeback



Specify Hole Punching for Faucets



A-390 PSFL
Sequoia Lavatory
Ledgeback

POSITIVE SEAL FLANGE

See page 29 for installation



Specify Hole Punching for Faucets

A-400 F Tile-in Type
Sequoia Lavatory Round Bowl



A-410 F Tile-in Type
Sequoia Lavatory Round Bowl



CT-840 Counter Top





STRUCTURAL FRAMING
BOTTOM VIEW



TRANSVERSE SECTION

Standard Lengths:

24"	66"	114"
30"	72"	120"
36"	84"	126"
42"	90"	132"
48"	96"	138"
54"	102"	144"
60"	108"	150"

If end splashes are required designate as follows:
LE for left end; RE for right end; EE for two ends.

Specifications

Material: 16 gauge 18-8 type 302 stainless steel counter tops.

16 gauge mild steel structural channels.

Construction: All welds ground and polished, all joints invisible.

Finish: Roto-Gloss.

Underseal: Approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

SS-501 Sacristy Sink





SECTION A-A



PLAN



FRONT ELEVATION

ST-850 Stove Top

Specify complete dimensions for stove cut outs.



Standard Lengths: 48", 54", 60", 66", 72", 84", 90", 96", 102", 108".

When ordering give Model No.—Length.

EXAMPLE: ST-850-48"

Individual burner cut outs can be furnished per specifications submitted.

Specifications

Material:	16 gauge 18-8 type 302 stainless steel. 16 gauge mild steel structural channels.
Construction:	All welds ground and polished, all joints invisible.
Finish:	Roto-Gloss.
Underseal:	Approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

If end splashes are required designate as follows:

LE for left end; RE for right end; EE for two ends.



STRUCTURAL FRAMING BOTTOM VIEW



TRANSVERSE SECTION

STR-850 Stove Top

Specify diameter dimensions for stove burner cut outs.





STRUCTURAL FRAMING BOTTOM VIEW



TRANSVERSE SECTION





FRONT ELEVATION



SECTION C-C
DETAIL OF SPEED RACK, ICE COMP. & CONDIMENT TRAY



SECTION B-B
DETAIL OF SCRAP CHUTE

BB-601 **Back Bar Standard**

Lengths Available 96" - 108" - 120" - 132" - 144"



SECTION D-D
DETAIL OF BOTTLE WELLS



END ELEVATION



SECTION A-A
DETAIL OF BAR SINKS

Specifications

Material:	16 gauge 18-8 type 302 stainless steel. 16 gauge mild steel structural channels.
Construction:	Sink bowls butt-fused, all welds ground and polished, all joints invisible.
Finish:	Roto-Gloss interior and top surfaces. All horizontal and vertical radii on sink bowls blended to a mirror finish.
Underseal:	Approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

NOTE: Length of Back Bar is variable to Jockey Box Assem., Drain Area & Glass Storage Area.



JOCKEY BOX ASSEM. J-1



JOCKEY BOX ASSEM. J-3

WC-710 **Water Station & Coffee Bar Standard**

Lengths Available 72" - 84" - 96"





FRONT ELEVATION

Specify Hole Punching for Faucets



PLAN VIEW

A-54 BT PSFL **Beverage Top**

PAT. PEND.

POSITIVE SEAL FLANGE

See page 29 for installation

See Photo Page 30



Specify Hole Punching for Faucets





Specifications

Material:	16 gauge 18-8 type 302 stainless steel. 16 gauge mild steel structural channels.
Construction:	Sink bowls butt-fused, all welds ground and polished, all joints invisible.
Finish:	Roto-Gloss interior and top surfaces. All horizontal and vertical radii on sink bowls blended to a mirror finish.
Underseal:	Approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

SDB-800 L.H. Drain Board - Cascade Standard

Single Compartment

Standard Lengths:

48"	102"
54"	108"
60"	114"
66"	120"
72"	126"
84"	132"
90"	138"
96"	144"
	150"



TRANSVERSE SECTION



Specify Hole Punching for Faucets



STRUCTURAL FRAMING
BOTTOM VIEW

Specifications

Material: 16 gauge 18-8 type 302 stainless steel drain boards.
17 gauge 18-8 type 302 stainless steel sinks.
16 gauge mild steel structural channels.

Construction: Sink bowls butt-fused, all welds ground and polished, all joints invisible.

Finish: Roto-Gloss interior and top surfaces. All horizontal and vertical radii on sink bowls blended to a mirror finish.

Underseal: Approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

Specify Sink Location, L.H.; R.H.; or C.; center.

If other size sinks are desired specify by catalog number (see price list).

If end splashes are required, designate as follows:
LE for left end; RE for right end; EE for two ends.

All lengths listed are furnished with B-180 sink bowl as shown.

SDB-800 C Drain Board - Cascade Standard

Single Compartment



Specify Hole Punching for Faucets



TRANSVERSE SECTION



STRUCTURAL FRAMING
BOTTOM VIEW

DDB-820 Drain Board - Arrowhead Standard

Double Compartment





STRUCTURAL FRAMING BOTTOM VIEW



TRANSVERSE SECTION

Standard Lengths:

60"	84"	108"	132"
66"	90"	114"	138"
72"	96"	120"	144"
78"	102"	126"	150"

All lengths listed are furnished with A-60 sink bowls as shown.
If other size sinks are desired specify by catalog number (see price list).
If end splashes are required designate as follows:
LE for left end; RE for right end; EE for two ends.

Specifications

Material: 16 gauge 18-8 type 302 stainless steel drain boards.

17 gauge 18-8 type 302 stainless steel sinks.

16 gauge mild steel structural channels.

Construction: Sink bowls butt-fused, all welds ground and polished, all joints invisible.

Finish: Roto-Gloss interior and top surfaces. All horizontal and vertical radii on sink bowls blended to a mirror finish.

Underseal: Approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

Sit-Down Sink and Drain Board



Sink Island Sit-Down Type





OVERALL DIM. OF CABINET
SECTION A-A

Installation of Positive Seal Flange

NOTE: DO NOT make cut out before receipt of sink. Place inverted sink bowl on drain board and scribe around rim. Cut back 5/16" inside of scribe line and complete installation procedure.

U.S. & Foreign Patents



DETAIL OF
POSITIVE SEAL FLANGE

Installation of Bracket for Wall Type Lavatory and Sacristy Sink



3/16" DIA. HOLES
FASTENING BRACKET NO. BR-100



CUSTOM MADE DRAIN TOPS

COUNTER TOPS—STOVE TOPS—ETC.



CU 301



CU 302



CU 303



CU 304

CUSTOM MADE DRAIN TOPS

COUNTER TOPS—STOVE TOPS—ETC.

CU 311



CU 312



CU 313



CU 314

CUSTOM MADE DRAIN TOPS

COUNTER TOPS—STOVE TOPS—ETC.

CU 321



CU 322



CU 323

CU 324

CUSTOM MADE DRAIN TOPS

COUNTER TOPS—STOVE TOPS—ETC.



CU 331



CU 332

CU 333



CU 334

CUSTOM MADE DRAIN TOPS

COUNTER TOPS—STOVE TOPS—ETC.



CU 341



CU 342

CU 343

CU 344

CUSTOM STAINLESS STEEL
SINK AND DRAIN BOARD UNITS









Submit dimensions of A-B-C-D-E in your sketch for price quotation.



Specifications

Drain board and sink of 16 gauge 18-8 type 302 stainless steel. All structural channels to be of 16 gauge mild steel, no wooden cores or framework allowed. Sink bowls shall be stainless steel butt-fused. All welds ground and polished so that all joints are invisible. No lap joints or solder seams allowed with the exception of field joints in L shaped or U shaped boards. Interior and top surfaces to be finished in Roto-Gloss. All horizontal and vertical radii on sink bowls blended to a mirror finish. All undersurfaces to be covered with approximately ⅛" heat-resistant underseal for sound deadening and prevention of condensation.

BOWL LOCATION OPTIONAL

Zeigler-Harris & Co.

STAINLESS STEEL SINKS AND DRAINBOARDS

DISTRIBUTED THROUGH THE PLUMBING AND SHEET METAL TRADES

PRICE LIST ☆ *March 15, 1955*

STAINLESS STEEL DRAINBOARDS, COUNTERTOPS, STOVE TOPS *STANDARD SIZES*

ADDITIONAL COST TYPE 316 STAINLESS STEEL FOR PHOTOGRAPHIC SINKS

DDB-820 DRAINBOARDS — DOUBLE BOWL

25" wide—8" backsplash — Each bowl 14"x17"x7½"

OVERALL LENGTH	APPROX. WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S PRICE
60"	60	$231.95	$154.63
66"	66	246.00	164.00
72"	72	260.07	173.38
78"	78	274.13	182.75
84"	83	288.20	192.13
90"	89	302.25	201.50
96"	98	316.32	210.88
102"	99	330.38	220.25
108"	104	344.45	229.63
114"	109	358.50	239.00
120"	115	372.57	248.38
126"	119	386.63	257.75
132"	126	400.70	267.13
138"	130	414.75	276.50
144"	136	428.82	285.88
150"	141	442.88	295.25

NOTE: To change sink size deduct price of Model A60-7-F bowl and add price of unit required.

End Splashes—Suggested Retail Price $14.07 per ea.
Plumber's Price $9.38 per each.

SDB-800 DRAINBOARDS — SINGLE BOWL

25" wide—8" backsplash — Bowl size 14"x17"x7½" deep

OVERALL LENGTH	APPROX. WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S PRICE
48"	49	$185.63	$123.75
54"	54	193.13	128.75
60"	60	202.69	135.13
66"	66	216.52	144.35
72"	70	230.37	153.58
78"	76	244.20	162.80
84"	83	258.05	172.03
90"	89	271.88	181.25
96"	95	285.72	190.48
102"	100	299.55	199.70
108"	105	313.40	208.93
114"	111	327.30	218.15
120"	116	341.07	227.38
126"	122	354.90	236.60
132"	128	368.58	245.83
138"	133	382.58	255.05
144"	136	396.42	264.28
150"	141	410.25	273.50

NOTE: To change sink size deduct price of Model A-180-7-F bowl and add price of unit required.

End Splashes—Suggested Retail rice $14.07 each.
Plumber's Price $9.38 per each.

CT-840 COUNTERTOPS

25" wide—8" backsplash

OVERALL LENGTH	APPROX. WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S PRICE
24"	30	$ 65.63	$ 43.75
30"	38	65.63	43.75
36"	43	65.63	43.75
42"	51	80.67	53.78
48"	56	95.70	63.80
54"	64	110.75	73.83
60"	69	125.78	83.85
66"	76	139.05	92.70
72"	82	152.33	101.55
78"	89	165.60	110.40
84"	94	178.88	119.25
90"	102	192.15	128.10
96"	107	205.43	136.95
102"	115	218.70	145.80
108"	120	231.98	154.65
114"	128	245.25	163.50
120"	135	258.53	172.35
126"	140	271.80	181.20
132"	146	285.08	190.05
138"	153	298.35	198.90
144"	158	311.63	207.75
150"	166	324.90	216.60

End Splashes—Suggested Retail Price $14.07 per each.
Plumber's Price $9.38 per each.

ST-850 STOVE TOPS

25" wide—8" backsplash

OVERALL LENGTH	APPROX. WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S PRICE
48"	56	$137.16	$ 91.44
54"	63	147.80	98.53
60"	68	158.42	105.61
66"	76	169.05	112.70
72"	81	179.69	119.79
78"	89	190.32	126.88
84"	94	200.94	133.96
90"	102	211.58	141.05
96"	107	222.21	148.14
102"	114	232.85	155.23
108"	120	243.47	162.31

NOTE: If Model STR-850 required with individual burner cut-outs submit specifications for quotation.

End Splashes—Suggested Retail Price $14.07 each.
Plumber's Price $9.38 per each.

NOTE: Write for quotations on L-shaped or U-shaped Drainboards, Countertops or Stove Tops.

(OVER)

Stainless Steel Drinking Fountains and Lavatories

DRINKING FOUNTAINS POSITIVE SEAL FLANGE

MODEL NO.	NAME	OUTSIDE DIMENSION	INSIDE DIMENSION	BOWL SIZE	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S PRICE
A-120-DF3	Catalina Standard	22 x22½	14 x17	7½	15	$ 60.12	$ 40.08
B-120-DF2	Catalina Standard	22½x19¾	17 x14	7½	14	55.89	37.26
B-120-DF3	Catalina Standard	25 x19¾	17 x14	7½	15	60.12	40.08
A-130-DF2	Catalina Commercial	27½x21½	21¾x15¾	7½	15	66.36	44.24
A-130-DF3	Catalina Commercial	29¾x21½	21¾x15¾	7½	16	72.09	48.06
A-150-DF3	Catalina Utility or Bar	20 x19¾	12 x14	6	11	48.14	32.09
B-150-DF3	Catalina Utility or Bar	22 x17¾	14 x12	6	12	48.14	32.09
B-150-DF2	Catalina Utility or Bar	19¾x17¾	14 x12	6	11	41.52	27.68
A-180-DF2	Cascade Standard	22 x20½	14 x17	7½	13	55.89	37.26
B-180-DF1	Cascade Standard	22½x17½	17 x14	7½	12	49.28	32.85
B-180-DF2	Cascade Standard	25 x17½	17 x14	7½	14	55.89	37.26
A-190-DF1	Cascade Commercial	27½x19¼	21¾x15¾	7½	14	58.85	39.23
A-190-DF2	Cascade Commercial	29¾x19¼	21¾x15¾	7½	15	66.36	44.24
B-190-DF2	Cascade Commercial	29¾x25¼	15¾x21¾	7½	15	66.36	44.24
A-210-DF2	Cascade Utility or Bar	20 x17½	12 x14	6	10	41.52	27.68
B-210-DF1	Cascade Utility or Bar	19¾x15½	14 x12	6	9	38.19	25.46
B-210-DF2	Cascade Utility or Bar	22 x15½	14 x12	6	10	55.89	27.68

COMBINATION DRINKING FOUNTAIN WITH DRAIN TOP POSITIVE SEAL FLANGE

B-120-DFD	Catalina Standard	36 x22¼	14 x17	7½	33	$103.79	$ 69.19
A-130-DFD	Catalina Commercial	43¾x21¼	21¾x15¾	7½	42	107.75	71.83
A-150-DFD	Catalina Utility or Bar	34 x19½	12 x14	6	28	84.09	56.06
B-150-DFD	Catalina Utility or Bar	36 x17½	14 x12	6	28	84.09	56.06
A-180-DFD	Cascade Standard	39 x17½	17 x14	7½	36	97.13	64.75
B-180-DFD	Cascade Standard	36 x20½	14 x17	7½	36	97.13	64.75
A-190-DFD	Cascade Commercial	43¾x19¼	21¾x15¾	7½	40	104.39	69.59
B-190-DFD	Cascade Commercial	37¾x25¼	15¾x21¾	7½	40	104.39	69.59
A-210-DFD	Cascade Utility or Bar	34 x17½	12 x14	6	33	82.86	55.24
B-210-DFD	Cascade Utility or Bar	36 x15½	14 x12	6	33	82.86	55.24

LAVATORIES

A-320-R	Sequoia Labatory—Tile in	17½x17⅜	14 x12	6	10	$ 30.93	$ 20.62
A-330	Sequoia Lavatory—Wall Type	18⅝x18⅝	14 x12	6	17	79.85	53.23
A-340-F	Sequoia Lavatory	16 x16½	14 x12	6	10	30.93	20.62
A-350-PSFL	Sequoia Lavatory	17½x17⅜	14 x12	6	10	39.29	26.19
A-360	Sequoia Lavatory—Wall Type	18 x15¾	14½x 9½	6	17	79.85	53.23
A-380-F	Sequoia Lavatory	16½x14	14½x 9½	6	10	30.93	20.62
A-390-PSFL	Sequoia Lavatory	18 x15	14½x 9½	6	10	39.29	26.19
A-400-F	Sequoia Lavatory—Round Bowl	14	12	6	8	37.26	24.84
A-410-F	Sequoia Lavatory—Round Bowl	16	14	6	8	41.94	27.96

ALL PRICES ARE LESS FIXTURES AND STRAINERS

ALL PRICES F.O.B. BURBANK, CALIFORNIA • PRICES SUBJECT TO CHANGE WITHOUT NOTICE
ALL UNITS PACKED SINGLE CARTONS • ADDITIONAL CHARGE FOR EXPORT CRATING

SPECIFY STAINLESS STEEL CRUMB CUP STRAINERS FOR 3½" OPENINGS

ZEIGLER-HARRIS AND COMPANY
2900 NORTH SAN FERNANDO ROAD, BURBANK, CALIFORNIA

Printed in U.S.A.

PRICE LIST ☆ *March 15, 1955*

STAINLESS STEEL DRAIN TOPS ☆ P.S.F.L. FLANGE

ZEIGLER-HARRIS LINE OF STAINLESS DRAIN TOPS WITH THE ADDED FEATURE OF A POSITIVE SEAL FLANGE FOR LINOLEUM, PLASTIC OR WOOD SINK TOPS
THIS NEW FEATURE ELIMINATES SINK RIM PROBLEMS AND COSTS.
NOTE: THIS PRICE LIST NOT TO BE CONFUSED WITH THE REGULAR LINE OF FLAT RIM AND RAISED EDGE SINKS.
ADDITIONAL COST TYPE 316 STAINLESS STEEL FOR PHOTOGRAPHIC SINKS

MODEL NO.	NAME	BOWL DEPTH	OUTSIDE DIMENSION	INSIDE DIMENSION	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S COST
A-10-DDT	Coronado Standard—Ledge Back—Double Compartment	7½	65 x22	28¾x17	52	$143.07	$95.38
A-10-DDT	Coronado Standard—Ledge Back—Double Compartment	10	65 x22	28¾x17	55	196.37	130.91
A-10-DDT	Coronado Standard—Ledge Back—Double Compartment	12	65 x22	28¾x17	59	201.17	134.11
B-10-DDT	Coronado Standard—Ledge Back—Double Compartment	7½	70¾x19⅜	34¾x14	51	143.07	95.38
B-10-DDT	Coronado Standard—Ledge Back—Double Compartment	10	70¾x19⅜	34¾x14	54	196.37	130.91
B-10-DDT	Coronado Standard—Ledge Back—Double Compartment	12	70¾x19⅜	34¾x14	58	201.17	134.11
A-11-DDT	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 10	65⅛x22	29⅛x17	52	177.44	118.29
A-11-DDT	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 12	65⅛x22	29⅛x17	55	181.40	120.93
B-11-DDT	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 10	70½x19⅜	34½x14	54	177.44	118.29
B-11-DDT	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 12	70½x19⅜	34½x14	58	181.40	120.93
A-20-DDT	Coronado Com.—Ledge Back—Double Compartment	7½	80¼x21⅛	44¼x15¾	63	172.97	115.31
A-20-DDT	Coronado Com.—Ledge Back—Double Compartment	10	80¼x21⅛	44¼x15¾	65	211.43	140.95
A-20-DDT	Coronado Com.—Ledge Back—Double Compartment	12	80¼x21⅛	44¼x15¾	67	223.43	148.95
B-20-DDT	Coronado Com.—Ledge Back—Double Compartment	7½	68¼x27	32¼x21¾	56	172.97	115.31
B-20-DDT	Coronado Com.—Ledge Back—Double Compartment	10	68¼x27	32¼x21¾	59	211.43	140.95
B-20-DDT	Coronado Com.—Ledge Back—Double Compartment	12	68¼x27	32¼x21¾	52	223.43	148.95
A-40-DDT	Coronado Com. Comb. Deep & Shallow—Ledge Back	7½ & 10	80¼x21⅛	44¼x15¾	60	193.73	129.15
B-40-DDT	Coronado Com. Comb. Deep & Shallow—Ledge Back	7½ & 10	68¼x27⅛	32¼x21¾	58	193.73	129.15
A-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	6	56¾x19⅜	24¾x14	55	128.85	85.90
A-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	8	56¾x19⅜	24¾x14	57	135.23	90.15
A-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	10	56¾x19⅜	24¾x14	59	147.08	98.05
A-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	12	56¾x19⅜	24¾x14	61	156.09	104.06
B-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	6	60¾x17½	28¾x12	55	128.85	85.90
B-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	8	60¾x17½	28¾x12	57	135.23	90.15
B-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	10	60¾x17½	28¾x12	59	147.08	98.05
B-50-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	12	60¾x17½	28¾x12	61	156.09	104.06
A-54-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	6	51¾x20	19¾x14½	41	128.85	85.90
A-54-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	9	51¾x20	19¾x14½	44	135.23	90.15
A-54-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	10	51¾x20	19¾x14½	46	147.08	98.05
B-54-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	6	61¾x15	29¾x 9½	43	128.85	85.90
B-54-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	9	61¾x15	29¾x 9½	46	135.23	90.15
B-54-DDT	Coronado Utility or Bar—Ledge Back—Double Comp.	10	61¾x15	29¾x 9½	49	147.08	98.05
A-60-DDT	Arrowhead Standard—No Ledge—Double Compartment	7½	64¾x20½	28¾x17	54	143.34	95.56
A-60-DDT	Arrowhead Standard—No Ledge—Double Compartment	10	64¾x20½	28¾x17	56	193.79	129.19
A-60-DDT	Arrowhead Standard—No Ledge—Double Compartment	12	64¾x20½	28¾x17	58	196.70	131.13
B-60-DDT	Arrowhead Standard—No Ledge—Double Compartment	7½	70¾x17½	34¾x14	54	143.34	95.56
B-60-DDT	Arrowhead Standard—No Ledge—Double Compartment	10	70¾x17½	34¾x14	56	193.79	129.19
B-60-DDT	Arrowhead Standard—No Ledge—Double Compartment	12	70¾x17½	34¾x14	58	196.70	131.13
A-61-DDT	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 10	65⅛x20¼	29⅛x17	51	174.29	116.19
A-61-DDT	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 12	65⅛x20¼	29⅛x17	56	177.17	118.11
B-61-DDT	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 10	70½x17½	34½x14	52	174.29	116.19
B-61-DDT	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 12	70½x17½	34½x14	58	177.17	118.11
A-70-DDT	Arrowhead Com.—No Ledge—Double Compartment	7½	80¼x19¼	44¼x15¾	62	165.30	110.20
A-70-DDT	Arrowhead Com.—No Ledge—Double Compartment	10	80¼x19¼	44¼x15¾	65	198.05	132.03
A-70-DDT	Arrowhead Com.—No Ledge—Double Compartment	12	80¼x19¼	44¼x15¾	68	205.29	136.86
B-70-DDT	Arrowhead Com.—No Ledge—Double Compartment	7½	68¼x25¼	32¼x21¾	60	165.30	110.20
B-70-DDT	Arrowhead Com.—No Ledge—Double Compartment	10	68¼x25¼	32¼x21¾	62	198.05	132.03
B-70-DDT	Arrowhead Com.—No Ledge—Double Compartment	12	68¼x25¼	32¼x21¾	65	205.29	136.86
A-90-DDT	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 10	80¼x19¼	44¼x15¾	58	184.47	122.98
A-90-DDT	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 12	80¼x19¼	44¼x15¾	61	190.52	127.01
B-90-DDT	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 10	68¼x25¼	32¼x21¾	56	184.47	122.98
B-90-DDT	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 12	68¼x25¼	32¼x21¾	59	190.52	127.01
A-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	6	56¾x17½	24¾x14	52	126.36	84.24
A-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	8	56¾x17½	24¾x14	54	132.72	88.48
A-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	10	56¾x17½	24¾x14	56	142.37	94.91
A-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	12	56¾x17½	24¾x14	58	151.40	100.93
B-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	6	60¾x15½	28¾x12	53	126.36	84.24
B-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	8	60¾x15½	28¾x12	56	132.72	88.48
B-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	10	60¾x15½	28¾x12	59	142.37	94.91
B-100-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	12	60¾x15½	28¾x12	61	151.40	100.93
A-104-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	6	51¾x18	19¾x14½	51	126.36	84.24
A-104-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	9	51¾x18	19¾x14½	53	132.72	88.48
A-104-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	10	51¾x18	19¾x14½	55	142.37	94.91
B-104-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	6	61¾x13	29¾x 9½	53	126.36	84.24
B-104-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	9	61¾x13	29¾x 9½	55	132.72	88.48
B-104-DDT	Arrowhead Utility or Bar—No Ledge—Double Comp.	10	61¾x13	29¾x 9½	59	142.37	94.91
A-120-DDT	Catalina Standard—Ledge Back—Single Compartment	7½	50 x22⅜	14 x17	50	120.92	80.61
A-120-DDT	Catalina Standard—Ledge Back—Single Compartment	10	50 x22⅜	14 x17	53	138.51	92.34
A-120-DDT	Catalina Standard—Ledge Back—Single Compartment	12	50 x22⅜	14 x17	56	143.94	95.96
B-120-DDT	Catalina Standard—Ledge Back—Single Compartment	7½	53 x19⅜	17 x14	50	120.92	80.61
B-120-DDT	Catalina Standard—Ledge Back—Single Compartment	10	53 x19⅜	17 x14	53	138.51	92.34
B-120-DDT	Catalina Standard—Ledge Back—Single Compartment	12	53 x19⅜	17 x14	56	143.94	95.96
A-130-DDT	Catalina Com.—Ledge Back—Single Compartment	7½	57¾x21⅛	21¾x15¾	51	126.00	84.00
A-130-DDT	Catalina Com.—Ledge Back—Single Compartment	10	57¾x21⅛	21¾x15¾	54	146.82	97.88
A-130-DDT	Catalina Com.—Ledge Back—Single Compartment	12	57¾x21⅛	21¾x15¾	57	157.07	104.71
A-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	6	46 x17⅜	14 x12	46	100.80	67.20
A-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	8	46 x17⅜	14 x12	49	101.55	67.70
A-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	10	46 x17⅜	14 x12	52	109.32	72.88
A-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	12	46 x17⅜	14 x12	55	121.14	80.76

(OVER)

MODEL NO.	NAME	BOWL DEPTH	OUTSIDE DIMENSION	INSIDE DIMENSION	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S COST
B-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	6	44 x19⅜	12 x14	45	100.80	67.20
B-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	8	44 x19⅜	12 x14	47	101.55	67.70
B-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	10	44 x19⅜	12 x14	49	109.32	72.88
B-150-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	12	44 x19⅜	12 x14	51	121.14	80.76
A-154-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	6	46½x14⅞	14½x 9½	39	100.80	67.20
A-154-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	9	46½x14⅞	14½x 9½	42	101.55	67.70
A-154-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	10	46½x14⅞	14½x 9½	45	109.32	72.88
B-154-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	6	41½x19⅞	9½x14½	36	100.80	67.20
B-154-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	9	41½x19⅞	9½x14½	38	101.55	67.70
B-154-DDT	Catalina Utility or Bar—Ledge Back—Single Comp.	10	41½x19⅞	9½x14½	40	109.32	72.88
A-170-DDT	Catalina Comb. Deep & Shallow—Ledge Back	7½ & 10	72½x22	36½x16⅞	49	180.24	120.16
A-180-DDT	Cascade Standard—No Ledge—Single Compartment	7½	53 x17½	17 x14	41	114.05	76.03
A-180-DDT	Cascade Standard—No Ledge—Single Compartment	10	53 x17½	17 x14	43	134.03	89.35
A-180-DDT	Cascade Standard—No Ledge—Single Compartment	12	53 x17½	17 x14	46	138.29	92.19
B-180-DDT	Cascade Standard—No Ledge—Single Compartment	7½	46 x20½	14 x17	46	114.05	76.03
B-180-DDT	Cascade Standard—No Ledge—Single Compartment	10	46 x20½	14 x17	48	134.03	89.35
B-180-DDT	Cascade Standard—No Ledge—Single Compartment	12	46 x20½	14 x17	50	138.29	92.19
A-190-DDT	Cascade Commercial—No Ledge—Single Compartment	7½	57¾x19¼	21¾x15¾	48	122.19	81.46
A-190-DDT	Cascade Commercial—No Ledge—Single Compartment	10	57¾x19¼	21¾x15¾	50	137.42	91.61
A-190-DDT	Cascade Commercial—No Ledge—Single Compartment	12	57¾x19¼	21¾x15¾	52	140.99	93.99
B-190-DDT	Cascade Commercial—No Ledge—Single Compartment	7½	51¾x25¼	15¾x21¾	47	122.19	81.46
B-190-DDT	Cascade Commercial—No Ledge—Single Compartment	10	51¾x25¼	15¾x21¾	51	137.42	91.61
B-190-DDT	Cascade Commercial—No Ledge—Single Compartment	12	51¾x25¼	15¾x21¾	53	140.99	93.99
A-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	46 x15½	14 x12	45	100.32	66.88
A-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	8	46 x15½	14 x12	47	101.27	67.51
A-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	46 x15½	14 x12	49	107.45	71.63
A-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	12	46 x15½	14 x12	51	119.91	79.94
B-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	44 x17½	12 x14	44	100.32	66.88
B-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	8	44 x17½	12 x14	46	101.27	67.51
B-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	44 x17½	12 x14	48	107.45	71.63
B-210-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	12	44 x17½	12 x14	50	119.91	79.94
A-214-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	41⅝x18	9½x14½	41	100.32	66.88
A-214-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	9	41⅝x18	9½x14½	43	101.27	67.51
A-214-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	41⅝x18	9½x14½	45	107.45	71.63
B-214-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	46⅝x13	14½x 9½	39	100.32	66.88
B-214-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	9	46⅝x13	14½x 9½	41	101.27	67.51
B-214-DDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	46⅝x13	14½x 9½	42	107.45	71.63
A-230-DDT	Cascade Commercial Comb. Deep & Shallow—No Ledge	7½ & 10	71½x20⅜	36½x16⅞	51	174.80	116.53
A-120-SDT	Catalina Standard—Ledge Back—Single Compartment	7½	33¾x22⅜	14 x17	41	99.09	66.06
A-120-SDT	Catalina Standard—Ledge Back—Single Compartment	10	33¾x22⅜	14 x17	43	116.69	77.79
A-120-SDT	Catalina Standard—Ledge Back—Single Compartment	12	33¾x22⅜	14 x17	45	122.12	81.41
B-120-SDT	Catalina Standard—Ledge Back—Single Compartment	7½	36¾x19⅜	17 x14	41	99.09	66.06
B-120-SDT	Catalina Standard—Ledge Back—Single Compartment	10	36¾x19⅜	17 x14	43	116.69	77.79
B-120-SDT	Catalina Standard—Ledge Back—Single Compartment	12	36¾x19⅜	17 x14	45	122.12	81.41
A-130-SDT	Catalina Commercial—Ledge Back—Single Compartment	7½	41½x21⅛	21¾x15¾	42	103.05	68.70
A-130-SDT	Catalina Commercial—Ledge Back—Single Compartment	10	41½x21⅛	21¾x15¾	45	123.87	82.58
A-130-SDT	Catalina Commercial—Ledge Back—Single Compartment	12	41½x21⅛	21¾x15¾	47	134.12	89.41
A-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	6	29¾x19⅜	12 x14	37	79.41	52.94
A-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	8	29¾x19⅜	12 x14	39	80.16	53.44
A-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	10	29¾x19⅜	12 x14	42	87.92	58.61
A-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	12	29¾x19⅜	12 x14	44	99.75	66.50
B-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	6	31¾x17⅜	14 x12	38	79.41	52.94
B-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	8	31¾x17⅜	14 x12	40	80.16	53.44
B-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	10	31¾x17⅜	14 x12	42	87.92	58.61
B-150-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	12	31¾x17⅜	14 x12	45	99.75	66.50
A-154-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	6	27¼x19⅞	9½x14½	32	79.41	52.94
A-154-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	9	27¼x19⅞	9½x14½	34	80.16	53.44
A-154-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	10	27¼x19⅞	9½x14½	38	87.92	58.61
B-154-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	6	32¼x14⅞	14½x 9½	31	79.41	52.94
B-154-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	9	32¼x14⅞	14½x 9½	33	80.16	53.44
B-154-SDT	Catalina Utility or Bar—Ledge Back—Single Compartment	10	32¼x14⅞	14½x 9½	36	87.92	58.61
A-180-SDT	Cascade Standard—No Ledge—Single Compartment	7½	33¾x20½	14 x17	45	92.45	61.63
A-180-SDT	Cascade Standard—No Ledge—Single Compartment	10	33¾x20½	14 x17	47	112.43	74.95
A-180-SDT	Cascade Standard—No Ledge—Single Compartment	12	33¾x20½	14 x17	49	116.69	77.79
B-180-SDT	Cascade Standard—No Ledge—Single Compartment	7½	36¾x17½	17 x14	43	92.45	61.63
B-180-SDT	Cascade Standard—No Ledge—Single Compartment	10	36¾x17½	17 x14	45	112.43	74.95
B-180-SDT	Cascade Standard—No Ledge—Single Compartment	12	36¾x17½	17 x14	47	116.69	77.79
A-190-SDT	Cascade Commercial—No Ledge—Single Compartment	7½	41½x19¼	21¾x15¾	48	99.69	66.46
A-190-SDT	Cascade Commercial—No Ledge—Single Compartment	10	41½x19¼	21¾x15¾	50	114.92	76.61
A-190-SDT	Cascade Commercial—No Ledge—Single Compartment	12	41½x19¼	21¾x15¾	52	118.49	78.99
A-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	29¾x17½	12 x14	42	78.17	52.11
A-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	8	29¾x17½	12 x14	44	79.13	52.75
A-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	39¾x17½	12 x14	46	85.29	56.86
A-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	12	29¾x17½	12 x14	48	97.77	65.18
B-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	31¾x15½	14 x12	41	78.17	52.11
B-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	8	31¾x15½	14 x12	43	79.13	52.75
B-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	31¾x15½	14 x12	45	85.29	56.86
B-210-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	12	31¾x15½	14 x12	47	97.77	65.18
A-214-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	27¼x18	9½x14½	36	78.17	52.11
A-214-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	9	27¼x18	9½x14½	37	79.13	52.75
A-214-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	27¼x18	9½x14½	38	85.29	56.86
B-214-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	6	32¼x13	14½x 9½	35	78.17	52.11
B-214-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	9	32¼x13	14½x 9½	36	79.13	52.75
B-214-SDT	Cascade Utility or Bar—No Ledge—Single Compartment	10	32¼x13	14½x 9½	37	85.29	56.86

ALL PRICES ARE LESS FIXTURES AND STRAINERS

ALL PRICES F.O.B. BURBANK, CALIFORNIA • PRICES SUBJECT TO CHANGE WITHOUT NOTICE
ALL DRAIN TOPS PACKED SINGLE CARTONS • ADDITIONAL CHARGE FOR EXPORT CRATING
SPECIFY STAINLESS STEEL CRUMB CUP STRAINERS FOR 3½" OPENINGS.

ZEIGLER-HARRIS AND COMPANY • 2900 N. San Fernando Road, Burbank, California

PRICE LIST ☆ *March 15, 1955*

STAINLESS STEEL SINKS ☆ P.S.F.L. FLANGE

ZEIGLER-HARRIS LINE OF STAINLESS STEEL SINKS WITH THE ADDED FEATURE OF A POSITIVE SEAL FLANGE FOR LINOLEUM, PLASTIC OR WOOD SINK TOPS
THIS NEW FEATURE ELIMINATES SINK RIM PROBLEMS AND COSTS.
NOTE: THIS PRICE LIST NOT TO BE CONFUSED WITH THE REGULAR LINE OF FLAT RIM AND RAISED EDGE SINKS.
ADDITIONAL COST TYPE 316 STAINLESS STEEL FOR PHOTOGRAPHIC SINKS

MODEL NO.		NAME	BOWL DEPTH	OUTSIDE DIMENSION	INSIDE DIMENSION	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S COST
A-10-7	PSFL	Coronado Std. Dbl. Comp.—Ledge Back	7½	32½x22¼	29⅛x16⅞	22	$ 69.82	$ 46.55
A-10-10	PSFL	Coronado Std. Dbl. Comp.—Ledge Back	10	32½x22¼	29⅛x16⅞	28	122.18	81.45
A-10-12	PSFL	Coronado Std. Dbl. Comp.—Ledge Back	12	32½x22¼	29⅛x16⅞	30	126.86	84.57
B-10-7	PSFL	Coronado Std. Dbl. Comp.—Ledge Back	7½	38 x19½	34½x14⅛	22	69.82	46.55
B-10-10	PSFL	Coronado Std. Dbl. Comp.—Ledge Back	10	38 x19½	34½x14⅛	28	122.18	81.45
B-10-12	PSFL	Coronado Std. Dbl. Comp.—Ledge Back	12	38 x19½	34½x14⅛	30	126.86	84.57
A-11-7 & 10	PSFL	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 10	32½x22¼	29⅛x16⅞	26	102.14	68.09
A-11-7 & 12	PSFL	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 12	32½x22¼	29⅛x16⅞	28	106.04	70.69
B-11-7 & 10	PSFL	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 10	38 x19½	34½x14⅛	26	102.14	68.09
B-11-7 & 12	PSFL	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 12	38 x19½	34½x14⅛	28	106.04	70.69
A-20-7	PSFL	Coronado Com. Dbl. Comp.—Ledge Back	7½	47¾x21⅛	44¼x15¾	28	98.31	65.54
A-20-10	PSFL	Coronado Com. Dbl. Comp.—Ledge Back	10	47¾x21⅛	44¼x15¾	30	136.49	90.99
A-20-12	PSFL	Coronado Com. Dbl. Comp.—Ledge Back	12	47¾x21⅛	44¼x15¾	32	148.28	98.85
B-20-7	PSFL	Coronado Com. Dbl. Comp.—Ledge Back	7½	35¾x27⅛	32¼x21¾	28	98.31	65.54
B-20-10	PSFL	Coronado Com. Dbl. Comp.—Ledge Back	10	35¾x27⅛	32¼x21¾	30	136.49	90.99
B-20-12	PSFL	Coronado Com. Dbl. Comp.—Ledge Back	12	35¾x27⅛	32¼x21¾	32	148.28	98.85
A-40-7 & 10	PSFL	Coronado Com. Comb. Deep & Shallow—Ledge Back	7½ & 10	47¾x21⅛	44¼x15¾	32	117.56	78.37
B-40-7 & 10	PSFL	Coronado Com. Comb. Deep & Shallow—Ledge Back	7½ & 10	35¾x27⅛	32¼x21¾	32	117.56	78.37
A-50-6	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	28¼x19⅜	24¾x14	14	63.77	42.51
A-50-8	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	8	28¼x19⅜	24¾x14	16	69.98	46.65
A-50-10	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	28¼x19⅜	24¾x14	18	81.90	54.60
A-50-12	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	12	28¼x19⅜	24¾x14	20	90.74	60.49
B-50-6	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	32¼x17⅜	28¾x12	14	63.77	42.51
B-50-8	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	8	32¼x17⅜	28¾x12	16	69.98	46.65
B-50-10	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	32¼x17⅜	28¾x12	18	81.90	54.60
B-50-12	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	12	32¼x17⅜	28¾x12	20	90.74	60.49
A-54-6	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	23¼x19⅞	19⅞x14½	12	63.77	42.51
A-54-9	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	9	23¼x19⅞	19⅞x14½	15	69.98	46.65
A-54-10	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	23¼x19⅞	19⅞x14½	17	81.90	54.60
B-54-6	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	33¼x14⅞	29⅞x 9½	12	63.77	42.51
B-54-9	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	9	33¼x14⅞	29⅞x 9½	15	69.98	46.65
B-54-10	PSFL	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	33¼x14⅞	29⅞x 9½	17	81.90	54.60
A-60-7	PSFL	Arrowhead Std. Dbl. Comp.—No Ledge	7½	32½x20⅜	29 x16⅞	20	71.49	47.66
A-60-10	PSFL	Arrowhead Std. Dbl. Comp.—No Ledge	10	32½x20⅜	29 x16⅞	24	119.87	79.91
A-60-12	PSFL	Arrowhead Std. Dbl. Comp.—No Ledge	12	32½x20⅜	29 x16⅞	28	122.69	81.79
B-60-7	PSFL	Arrowhead Std. Dbl. Comp.—No Ledge	7½	38 x17⅝	34½x14⅛	20	71.49	47.66
B-60-10	PSFL	Arrowhead Std. Dbl. Comp.—No Ledge	10	38 x17⅝	34½x14⅛	24	119.87	79.91
B-60-12	PSFL	Arrowhead Std. Dbl. Comp.—No Ledge	12	38 x17⅝	34½x14⅛	28	122.69	81.79
A-61-7 & 10	PSFL	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 10	32½x20⅜	29 x16⅞	27	99.54	66.36
A-61-7 & 12	PSFL	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 12	32½x20⅜	29 x16⅞	29	102.40	68.27
B-61-7 & 10	PSFL	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 10	38 x17⅝	34½x14⅛	27	99.54	66.36
B-61-7 & 12	PSFL	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 12	38 x17⅝	34½x14⅛	29	102.40	68.27
A-70-7	PSFL	Arrowhead Com. Dbl. Comp.—No Ledge	7½	47¾x19¼	44¼x15¾	26	91.31	60.87
A-70-10	PSFL	Arrowhead Com. Dbl. Comp.—No Ledge	10	47¾x19¼	44¼x15¾	28	123.79	82.53
A-70-12	PSFL	Arrowhead Com. Dbl. Comp.—No Ledge	12	47¾x19¼	44¼x15¾	32	130.92	87.28
B-70-7	PSFL	Arrowhead Com. Dbl. Comp.—No Ledge	7½	35¾x25¼	32¼x21¾	26	91.31	60.87
B-70-10	PSFL	Arrowhead Com. Dbl. Comp.—No Ledge	10	35¾x25¼	32¼x21¾	28	123.79	82.53
B-70-12	PSFL	Arrowhead Com. Dbl. Comp.—No Ledge	12	35¾x25¼	32¼x21¾	32	130.92	87.28
A-90-7 & 10	PSFL	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 10	47¾x19¼	44¼x15¾	33	109.02	72.68
A-90-7 & 12	PSFL	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 12	47¾x19¼	44¼x15¾	35	114.93	76.62
B-90-7 & 10	PSFL	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 10	35¾x25¼	32¼x21¾	33	109.02	72.68
B-90-7 & 12	PSFL	Arrowhead Com. Comb. Deep & Shallow—No Ledge	7½ & 12	35¾x25¼	32¼x21¾	35	114.93	76.62
A-100-6	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	28¼x17½	24¾x14	13	61.75	41.17
A-100-8	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	8	28¼x17½	24¾x14	15	67.98	45.32
A-100-10	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	28¼x17½	24¾x14	17	77.71	51.81
A-100-12	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	12	28¼x17½	24¾x14	19	86.55	57.70
B-100-6	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	32¼x15½	28¾x12	13	61.75	41.17
B-100-8	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	8	32¼x15½	28¾x12	15	67.98	45.32
B-100-10	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	32¼x15½	28¾x12	17	77.71	51.81
B-100-12	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	12	32¼x15½	28¾x12	19	86.55	57.70
A-104-6	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	23¼x18	19⅞x14½	13	61.75	41.17
A-104-9	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	9	23¼x18	19⅞x14½	15	67.98	45.32
A-104-10	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	23¼x18	19⅞x14½	17	77.71	51.81

(OVER)

Printed in U.S.A.

MODEL NO.		NAME	BOWL DEPTH	OUTSIDE DIMENSION	INSIDE DIMENSION	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S COST
B-104-6	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	33¼x13	29⅞x 9½	13	61.75	41.17
B-104-9	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	9	33¼x13	29⅞x 9½	15	67.98	45.32
B-104-10	PSFL	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	33¼x13	29⅞x 9½	17	77.71	51.81
A-120-7	PSFL	Catalina Std. Single Comp.—Ledge Back	7½	20⅜x19½	16⅞x14⅛	13	45.81	30.54
A-120-10	PSFL	Catalina Std. Single Comp.—Ledge Back	10	20⅜x19½	16⅞x14⅛	14	63.17	42.11
A-120-12	PSFL	Catalina Std. Single Comp.—Ledge Back	12	20⅜x19½	16⅞x14⅛	15	68.53	45.69
A-130-7	PSFL	Catalina Com. Single Comp.—Ledge Back	7½	25¼x21⅛	21¾x15¾	14	52.57	35.05
A-130-10	PSFL	Catalina Com. Single Comp.—Ledge Back	10	25¼x21⅛	21¾x15¾	16	73.10	48.73
A-130-12	PSFL	Catalina Com. Single Comp.—Ledge Back	12	25¼x21⅛	21¾x15¾	18	83.16	55.44
A-150-6	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	6	17½x17⅜	14 x12	10	34.89	23.26
A-150-8	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	8	17½x17⅜	14 x12	12	37.36	24.91
A-150-10	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	10	17½x17⅜	14 x12	14	45.03	30.02
A-150-12	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	12	17½x17⅜	14 x12	16	56.68	37.79
A-154-6	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	6	18 x14⅞	14½x 9½	10	34.89	23.26
A-154-9	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	9	18 x14⅞	14½x 9½	12	37.36	24.91
A-154-10	PSFL	Catalina Utility or Bar Single Comp.—Ledge Back	10	18 x14⅞	14½x 9½	12	45.03	30.02
A-170-7 & 10	PSFL	Catalina Comb. Deep & Shallow—Ledge Back	7½ & 10	40⅛x22¼	36½x16⅞	32	105.58	70.39
A-180-7	PSFL	Cascade Standard Single Comp.—No Ledge	7½	20⅜x17⅝	16⅞x14⅛	12	39.32	26.21
A-180-10	PSFL	Cascade Standard Single Comp.—No Ledge	10	20⅜x17⅝	16⅞x14⅛	13	58.98	39.32
A-180-12	PSFL	Cascade Standard Single Comp.—No Ledge	12	20⅜x17⅝	16⅞x14⅛	14	63.14	42.09
A-190-7	PSFL	Cascade Commercial Single Comp.—No Ledge	7½	25¼x19¼	21¾x15¾	14	49.34	32.89
A-190-10	PSFL	Cascade Commercial Single Comp.—No Ledge	10	25¼x19¼	21¾x15¾	16	64.33	42.89
A-190-12	PSFL	Cascade Commercial Single Comp.—No Ledge	12	25¼x19¼	21¾x15¾	17	67.83	45.22
A-210-6	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	6	17½x15½	14 x12	9	33.38	22.25
A-210-8	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	8	17½x15½	14 x12	10	36.36	24.24
A-210-10	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	10	17½x15½	14 x12	12	42.48	28.32
A-210-12	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	12	17½x15½	14 x12	14	54.70	36.47
A-214-6	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	6	18 x13	14½x 9½	9	33.38	22.25
A-214-9	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	9	18 x13	14½x 9½	12	36.36	24.24
A-214-10	PSFL	Cascade Utility or Bar Single Comp.—No Ledge	10	18 x13	14½x 9½	13	42.48	28.32
A-230-7 & 10	PSFL	Cascade Comb. Deep & Shallow—No Ledge	7½ & 10	40⅛x20⅜	36⅝x16⅞	28	100.71	67.14
A-280-6	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	6	41 x17½	37½x14	24	99.32	66.21
A-280-8	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	8	41 x17½	37½x14	25	104.08	69.39
A-280-10	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	10	41 x17½	37½x14	27	115.04	76.69
A-280-12	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	12	41 x17½	37½x14	29	122.08	81.39
S-285-6	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	6	33½x18	30 x14½	24	99.32	66.21
S-285-9	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	9	33½x18	30 x14½	26	104.08	69.39
S-285-10	PSFL	Arrowhead Utility or Bar Triple Comp.—No Ledge	10	33½x18	30 x14½	27	115.04	76.69
A-290-6	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	6	41 x19⅜	37½x14	24	97.59	65.06
A-290-8	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	8	41 x19⅜	37½x14	25	104.23	69.49
A-290-10	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	10	41 x19⅜	37½x14	27	117.95	78.63
A-290-12	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	12	41 x19⅜	37½x14	31	124.19	82.79
S-295-6	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	6	33½x19⅞	30 x14½	24	97.59	65.05
S-295-9	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	9	33½x19⅞	30 x14½	26	104.23	69.49
S-295-10	PSFL	Coronado Utility or Bar Triple Comp.—Ledge Back	10	33½x19⅞	30 x14½	28	117.95	78.63
A-300-7	PSFL	Arrowhead Com. Triple Comp.—No Ledge	7	52¼x25¼	48¾x21¾	46	177.41	118.27
A-300-10	PSFL	Arrowhead Com. Triple Comp.—No Ledge	10	52¼x25¼	48¾x21¾	48	188.73	125.82
A-300-12	PSFL	Arrowhead Com. Triple Comp.—No Ledge	12	52¼x25¼	48¾x21¾	50	203.08	135.39
B-300-7	PSFL	Arrowhead Com. Triple Comp.—No Ledge	7	70½x19¼	66¾x15¾	46	177.41	118.27
B-300-10	PSFL	Arrowhead Com. Triple Comp.—No Ledge	10	70½x19¼	66¾x15¾	48	188.73	125.82
B-300-12	PSFL	Arrowhead Com. Triple Comp.—No Ledge	12	70½x19¼	66¾x15¾	50	203.08	135.39
A-310-7	PSFL	Coronado Com. Triple Comp.—Ledge Back	7	52¼x27⅛	48¾x21¾	50	196.11	130.74
A-310-10	PSFL	Coronado Com. Triple Comp.—Ledge Back	10	52¼x27⅛	48¾x21¾	52	208.62	139.08
A-310-12	PSFL	Coronado Com. Triple Comp.—Ledge Back	12	52¼x27⅛	48¾x21¾	54	215.52	143.68
B-310-7	PSFL	Coronado Com. Triple Comp.—Ledge Back	7	70½x21⅛	66¾x15¾	50	196.11	130.74
B-310-10	PSFL	Coronado Com. Triple Comp.—Ledge Back	10	70½x21⅛	66¾x15¾	52	208.62	139.08
B-310-12	PSFL	Coronado Com. Triple Comp.—Ledge Back	12	70½x21⅛	66¾x15¾	54	215.52	143.68
A-315-7	PSFL	Arrowhead Std. Triple Comp.—No Ledge	7	47⅜x20⅜	43½x16⅞	32	179.46	119.64
A-315-10	PSFL	Arrowhead Std. Triple Comp.—No Ledge	10	47⅜x20⅜	43½x16⅞	34	190.92	127.28
A-315-12	PSFL	Arrowhead Std. Triple Comp.—No Ledge	12	47⅜x20⅜	43½x16⅞	36	203.46	135.64
B-315-7	PSFL	Arrowhead Std. Triple Comp.—No Ledge	7	55⅝x17⅝	52½x14⅛	32	179.46	119.64
B-315-10	PSFL	Arrowhead Std. Triple Comp.—No Ledge	10	55⅝x17⅝	52½x14⅛	34	190.92	127.28
B-315-12	PSFL	Arrowhead Std. Triple Comp.—No Ledge	12	55⅝x17⅝	52½x14⅛	36	203.46	135.64
A-325-7	PSFL	Coronado Std. Triple Comp.—Ledge Back	7	47⅜x22¼	43½x16⅞	34	191.37	127.58
A-325-10	PSFL	Coronado Std. Triple Comp.—Ledge Back	10	47⅜x22¼	43½x16⅞	36	203.57	135.71
A-325-12	PSFL	Coronado Std. Triple Comp.—Ledge Back	12	47⅜x22¼	43½x16⅞	38	219.66	146.44
B-325-7	PSFL	Coronado Std. Triple Comp.—Ledge Back	7	55⅝x19½	52½x14⅛	34	191.37	127.58
B-325-10	PSFL	Coronado Std. Triple Comp.—Ledge Back	10	55⅝x19½	52½x14⅛	36	203.57	135.71
B-325-12	PSFL	Coronado Std. Triple Comp.—Ledge Back	12	55⅝x19½	52½x14⅛	38	219.66	146.44

ALL PRICES ARE LESS FIXTURES AND STRAINERS

ALL PRICES F.O.B. BURBANK, CALIFORNIA • PRICES SUBJECT TO CHANGE WITHOUT NOTICE
ALL SINKS PACKED SINGLE CARTONS • ADDITIONAL CHARGE FOR EXPORT CRATING
SPECIFY STAINLESS STEEL CRUMB CUP STRAINERS FOR 3½" OPENINGS.

ZEIGLER-HARRIS AND COMPANY • 2900 N. San Fernando Road, Burbank, California

PRICE LIST ☆ *March 15, 1955*

FLAT RIM STAINLESS STEEL SINKS

ADDITIONAL COST TYPE 316 STAINLESS STEEL FOR PHOTOGRAPHIC SINKS

MODEL NO.	NAME	BOWL DEPTH	OUTSIDE DIMENSION	INSIDE DIMENSION	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S COST
A-10-7	Coronado Std. Dbl. Comp.—Ledge Back	7½	32 x21	29⅛x16⅞	22	$ 57.06	$ 38.04
A-10-10	Coronado Std. Dbl. Comp.—Ledge Back	10	32 x21	29⅛x16⅞	28	110.37	73.58
A-10-12	Coronado Std. Dbl. Comp.—Ledge Back	12	32 x21	29⅛x16⅞	30	115.17	76.78
B-10-7	Coronado Std. Dbl. Comp.—Ledge Back	7½	36⅝x18⅛	34½x14⅛	22	57.06	38.04
B-10-10	Coronado Std. Dbl. Comp.—Ledge Back	10	36⅝x18⅛	34½x14⅛	28	110.37	73.58
B-10-12	Coronado Std. Dbl. Comp.—Ledge Back	12	36⅝x18⅛	34½x14⅛	30	115.17	76.78
A-11-7 & 10	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 10	32 x21	29⅛x16⅞	26	91.42	60.95
A-11-7 & 12	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 12	32 x21	29⅛x16⅞	28	95.39	63.59
B-11-7 & 10	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 10	36⅝x18⅛	34½x14⅛	26	91.42	60.95
B-11-7 & 12	Coronado Std. Comb. Deep & Shallow—Ledge Back	7½ & 12	36⅝x18⅛	34½x14⅛	28	95.39	63.59
A-20-7	Coronado Comm. Dbl. Comp.—Ledge Back	7½	46⅜x21	44¼x15¾	28	85.16	56.77
A-20-10	Coronado Comm. Dbl. Comp.—Ledge Back	10	46⅜x21	44¼x15¾	30	123.61	82.41
A-20-12	Coronado Comm. Dbl. Comp.—Ledge Back	12	46⅜x21	44¼x15¾	32	135.61	90.41
B-20-7	Coronado Comm. Dbl. Comp.—Ledge Back	7½	34½x26	32¼x21¾	28	85.16	56.77
B-20-10	Coronado Comm. Dbl. Comp.—Ledge Back	10	34½x26	32¼x21¾	30	123.61	82.41
B-20-12	Coronado Comm. Dbl. Comp.—Ledge Back	12	34½x26	32¼x21¾	32	135.61	90.41
A-40-7 & 10	Coronado Comm. Comb. Deep & Shallow—Ledge Back	7½ & 10	46⅜x21	44¼x15¾	32	105.92	70.61
B-40-7 & 10	Coronado Comm. Comb. Deep & Shallow—Ledge Back	7½ & 10	34½x26	32¼x21¾	32	105.92	70.61
A-50-6	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	26¾x18	24¾x14	14	53.96	35.97
A-50-8	Coronado Utility or Bar Dbl. Comp.—Ledge Back	8	26¾x18	24¾x14	16	60.35	40.23
A-50-10	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	26¾x18	24¾x14	18	72.19	48.13
A-50-12	Coronado Utility or Bar Dbl. Comp.—Ledge Back	12	26¾x18	24¾x14	20	81.21	54.14
B-50-6	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	30¾x16	28¾x12	14	53.96	35.97
B-50-8	Coronado Utility or Bar Dbl. Comp.—Ledge Back	8	30¾x16	28¾x12	16	60.35	40.23
B-50-10	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	30¾x16	28¾x12	18	72.19	48.13
B-50-12	Coronado Utility or Bar Dbl. Comp.—Ledge Back	12	30¾x16	28¾x12	20	81.21	54.14
A-54-6	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	21⅞x18⅝	19⅞x14½	12	53.96	35.97
A-54-9	Coronado Utility or Bar Dbl. Comp.—Ledge Back	9	21⅞x18⅝	19⅞x14½	15	60.35	40.23
A-54-10	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	21⅞x18⅝	19⅞x14½	17	72.19	48.13
B-54-6	Coronado Utility or Bar Dbl. Comp.—Ledge Back	6	32 x13⅝	29⅞x 9½	12	53.96	35.97
B-54-9	Coronado Utility or Bar Dbl. Comp.—Ledge Back	9	32 x13⅝	29⅞x 9½	15	60.35	40.23
B-54-10	Coronado Utility or Bar Dbl. Comp.—Ledge Back	10	32 x13⅝	29⅞x 9½	17	72.19	48.13
A-60-7	Arrowhead Std. Dbl. Comp.—No Ledge	7½	32 x20	29 x16⅞	20	57.56	38.37
A-60-10	Arrowhead Std. Dbl. Comp.—No Ledge	10	32 x20	29 x16⅞	24	108.00	72.00
A-60-12	Arrowhead Std. Dbl. Comp.—No Ledge	12	32 x20	29 x16⅞	28	110.91	73.94
B-60-7	Arrowhead Std. Dbl. Comp.—No Ledge	7½	36½x16⅛	34½x14⅛	20	57.56	38.37
B-60-10	Arrowhead Std. Dbl. Comp.—No Ledge	10	36½x16⅛	34½x14⅛	24	108.00	72.00
B-60-12	Arrowhead Std. Dbl. Comp.—No Ledge	12	36½x16⅛	34½x14⅛	28	110.91	73.94
A-61-7 & 10	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 10	32 x20	29 x16⅞	27	88.50	59.00
A-61-7 & 12	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 12	32 x20	29 x16⅞	29	91.40	60.93
B-61-7 & 10	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 10	36½x16⅛	34½x14⅛	27	88.50	59.00
B-61-7 & 12	Arrowhead Std. Comb. Deep & Shallow—No Ledge	7½ & 12	36½x16⅛	34½x14⅛	29	91.40	60.93
A-70-7	Arrowhead Comm. Dbl. Comp.—No Ledge	7½	46⅜x18	44¼x15¾	26	77.94	51.96
A-70-10	Arrowhead Comm. Dbl. Comp.—No Ledge	10	46⅜x18	44¼x15¾	28	110.68	73.79
A-70-12	Arrowhead Comm. Dbl. Comp.—No Ledge	12	46⅜x18	44¼x15¾	32	117.94	78.63
B-70-7	Arrowhead Comm. Dbl. Comp.—No Ledge	7½	34½x24	32¼x21¾	26	77.94	51.96
B-70-10	Arrowhead Comm. Dbl. Comp.—No Ledge	10	34½x24	32¼x21¾	28	110.68	73.79
B-70-12	Arrowhead Comm. Dbl. Comp.—No Ledge	12	34½x24	32¼x21¾	32	117.94	78.63
A-90-7 & 10	Arrowhead Comm. Comb. Deep & Shallow—No Ledge	7½ & 10	46⅜x18	44¼x15¾	33	97.11	64.74
A-90-7 & 12	Arrowhead Comm. Comb. Deep & Shallow—No Ledge	7½ & 12	46⅜x18	44¼x15¾	35	103.15	68.77
B-90-7 & 10	Arrowhead Comm. Comb. Deep & Shallow—No Ledge	7½ & 10	34½x24	32¼x21¾	33	97.11	64.74
B-90-7 & 12	Arrowhead Comm. Comb. Deep & Shallow—No Ledge	7½ & 12	34½x24	32¼x21¾	35	103.15	68.77
A-100-6	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	26¾x16	24¾x14	13	51.92	34.61
A-100-8	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	8	26¾x16	24¾x14	15	58.28	38.85
A-100-10	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	26¾x16	24¾x14	17	67.93	45.29
A-100-12	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	12	26¾x16	24¾x14	19	76.95	51.30
B-100-6	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	30¾x14	28¾x12	13	51.92	34.61
B-100-8	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	8	30¾x14	28¾x12	15	58.28	38.85
B-100-10	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	30¾x14	28¾x12	17	67.93	45.29
B-100-12	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	12	30¾x14	28¾x12	19	76.95	51.30
A-104-6	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	21⅞x16½	19⅞x14½	13	51.92	34.61
A-104-9	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	9	21⅞x16½	19⅞x14½	15	58.28	38.85
A-104-10	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	21⅞x16½	19⅞x14½	17	67.93	45.29
B-104-6	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	6	32 x11¾	29⅞x 9½	13	51.92	34.61
B-104-9	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	9	32 x11¾	29⅞x 9½	15	58.28	38.85
B-104-10	Arrowhead Utility or Bar Dbl. Comp.—No Ledge	10	32 x11¾	29⅞x 9½	17	67.93	45.29

(OVER)

Litho in U.S.A.

MODEL NO.	NAME	BOWL DEPTH	OUTSIDE DIMENSION	INSIDE DIMENSION	APPROX. SHIPPING WEIGHT	SUGGESTED RETAIL PRICE	PLUMBER'S COST
A-120-7	Catalina Std. Single Comp.—Ledge Back	7½	20 x19	16⅞x14⅛	13	37.61	25.07
A-120-10	Catalina Std. Single Comp.—Ledge Back	10	20 x19	16⅞x14⅛	14	55.20	36.80
A-120-12	Catalina Std. Single Comp.—Ledge Back	12	20 x19	16⅞x14⅛	15	60.64	40.43
A-130-7	Catalina Commercial Single Comp.—Ledge Back	7½	24 x21	21¾x15¾	14	41.56	27.71
A-130-10	Catalina Commercial Single Comp.—Ledge Back	10	24 x21	21¾x15¾	16	62.38	41.59
A-130-12	Catalina Commercial Single Comp.—Ledge Back	12	24 x21	21¾x15¾	18	72.64	48.43
A-150-6	Catalina Utility or Bar Sgl. Comp.—Ledge Back	6	16 x16	14 x12	10	29.15	19.43
A-150-8	Catalina Utility or Bar Sgl. Comp.—Ledge Back	8	16 x16	14 x12	12	29.89	19.93
A-150-10	Catalina Utility or Bar Sgl. Comp.—Ledge Back	10	16 x16	14 x12	14	37.65	25.10
A-150-12	Catalina Utility or Bar Sgl. Comp.—Ledge Back	12	16 x16	14 x12	16	49.48	32.99
A-154-6	Catalina Utility or Bar Sgl. Comp.—Ledge Back	6	16½x13½	14½x 9½	10	29.15	19.43
A-154-9	Catalina Utility or Bar Sgl. Comp.—Ledge Back	9	16½x13½	14½x 9½	12	29.89	19.93
A-154-10	Catalina Utility or Bar Sgl. Comp.—Ledge Back	10	16½x13½	14½x 9½	14	37.65	25.10
A-170-7 & 10	Catalina Comb. Deep & Shallow—Ledge Back	7½ & 10	38½x21	36½x17	32	93.55	62.37
A-180-7	Cascade Std. Single Comp.—No Ledge	7½	20 x17	16⅞x14⅛	12	30.96	20.64
A-180-10	Cascade Std. Single Comp.—No Ledge	10	20 x17	16⅞x14⅛	13	50.94	33.96
A-180-12	Cascade Std. Single Comp.—No Ledge	12	20 x17	16⅞x14⅛	14	55.20	36.80
A-190-7	Cascade Comm. Single Comp.—No Ledge	7½	24 x18	21¾x15¾	14	38.22	25.48
A-190-10	Cascade Comm. Single Comp.—No Ledge	10	24 x18	21¾x15¾	16	53.44	35.63
A-190-12	Cascade Comm. Single Comp.—No Ledge	12	24 x18	21¾x15¾	17	57.00	38.00
A-210-6	Cascade Utility or Bar Sgl. Comp.—No Ledge	6	16 x14	14 x12	9	27.90	18.60
A-210-8	Cascade Utility or Bar Sgl. Comp.—No Ledge	8	16 x14	14 x12	10	28.86	19.24
A-210-10	Cascade Utility or Bar Sgl. Comp.—No Ledge	10	16 x14	14 x12	12	35.02	23.35
A-210-12	Cascade Utility or Bar Sgl. Comp.—No Ledge	12	16 x14	14 x12	14	47.49	31.66
A-214-6	Cascade Utility or Bar Sgl. Comp.—No Ledge	6	16½x11½	14½x 9½	9	27.90	18.60
A-214-9	Cascade Utility or Bar Sgl. Comp.—No Ledge	9	16½x11½	14½x 9½	12	28.86	19.24
A-214-10	Cascade Utility or Bar Sgl. Comp.—No Ledge	10	16½x11½	14½x 9½	13	35.02	23.35
A-230-7 & 10	Cascade Comb. Deep & Shallow—No Ledge	7½ & 10	38⅝x19	36⅝x17	28	88.34	58.99
A-280-6	Arrowhead Utility or Bar Triple Comp.—No Ledge	6	39½x16	37½x14	24	86.18	57.45
A-280-8	Arrowhead Utility or Bar Triple Comp.—No Ledge	8	39½x16	37½x14	25	88.18	58.79
A-280-10	Arrowhead Utility or Bar Triple Comp.—No Ledge	10	39½x16	37½x14	27	101.76	67.84
A-280-12	Arrowhead Utility or Bar Triple Comp.—No Ledge	12	39½x16	37½x14	29	108.94	72.63
S-285-6	Arrowhead Utility or Bar Triple Comp.—No Ledge	6	32 x16¾	30 x14½	24	86.18	57.45
S-285-9	Arrowhead Utility or Bar Triple Comp.—No Ledge	9	32 x16¾	30 x14½	26	88.18	58.79
S-285-10	Arrowhead Utility or Bar Triple Comp.—No Ledge	10	32 x16¾	30 x14½	27	101.76	67.84
A-290-6	Coronado Utility or Bar Triple Comp.—Ledge Back	6	39½x18	37½x14	24	91.27	60.85
A-290-8	Coronado Utility or Bar Triple Comp.—Ledge Back	8	39½x18	37½x14	25	98.10	65.40
A-290-10	Coronado Utility or Bar Triple Comp.—Ledge Back	10	39½x18	37½x14	27	111.30	74.20
A-290-12	Coronado Utility or Bar Triple Comp.—Ledge Back	12	39½x18	37½x14	31	117.66	78.44
S-295-6	Coronado Utility or Bar Triple Comp.—Ledge Back	6	32 x18¾	30 x14½	24	91.27	60.85
S-295-9	Coronado Utility or Bar Triple Comp.—Ledge Back	9	32 x18¾	30 x14½	26	98.10	65.40
S-295-10	Coronado Utility or Bar Triple Comp.—Ledge Back	10	32 x18¾	30 x14½	28	111.30	74.20
A-300-7	Arrowhead Comm. Triple Comp.—No Ledge	7½	51 x24¾	48¾x21¾	46	158.97	105.98
A-300-10	Arrowhead Comm. Triple Comp.—No Ledge	10	51 x24¾	48¾x21¾	48	169.12	112.75
A-300-12	Arrowhead Comm. Triple Comp.—No Ledge	12	51 x24¾	48¾x21¾	50	183.75	122.50
B-300-7	Arrowhead Comm. Triple Comp.—No Ledge	7½	68¾x18¾	66¾x15¾	46	158.97	105.98
B-300-10	Arrowhead Comm. Triple Comp.—No Ledge	10	68¾x18¾	66¾x15¾	48	169.12	112.75
B-300-12	Arrowhead Comm. Triple Comp.—No Ledge	12	68¾x18¾	66¾x15¾	50	183.75	122.50
A-310-7	Coronado Comm. Triple Comp.—Ledge Back	7½	51¾x25¾	48¾x21¾	50	178.07	118.71
A-310-10	Coronado Comm. Triple Comp.—Ledge Back	10	51¾x25¾	48¾x21¾	52	189.43	126.29
A-310-12	Coronado Comm. Triple Comp.—Ledge Back	12	51¾x25¾	48¾x21¾	54	196.47	130.98
B-310-7	Coronado Comm. Triple Comp.—Ledge Back	7½	68¾x21	66¾x15¾	50	178.07	118.71
B-310-10	Coronado Comm. Triple Comp.—Ledge Back	10	68¾x21	66¾x15¾	52	189.43	126.29
B-310-12	Coronado Comm. Triple Comp.—Ledge Back	12	68¾x21	66¾x15¾	54	196.47	130.98
A-315-7	Arrowhead Std. Triple Comp.—No Ledge	7½	46 x20	43½x16⅞	35	158.76	105.84
A-315-10	Arrowhead Std. Triple Comp.—No Ledge	10	46 x20	43½x16⅞	37	168.89	112.60
A-315-12	Arrowhead Std. Triple Comp.—No Ledge	12	46 x20	43½x16⅞	39	179.67	119.78
B-315-7	Arrowhead Std. Triple Comp.—No Ledge	7½	55¼x17	52½x14⅛	35	158.76	105.84
B-315-10	Arrowhead Std. Triple Comp.—No Ledge	10	55¼x17	52½x14⅛	37	168.89	112.60
B-315-12	Arrowhead Std. Triple Comp.—No Ledge	12	55¼x17	52½x14⅛	39	179.67	119.78
A-325-7	Coronado Std. Triple Comp.—Ledge Back	7½	46 x21	43½x16⅞	37	169.05	112.70
A-325-10	Coronado Std. Triple Comp.—Ledge Back	10	46 x21	43½x16⅞	39	179.82	119.88
A-325-12	Coronado Std. Triple Comp.—Ledge Back	12	46 x21	43½x16⅞	41	191.30	127.53
B-325-7	Coronado Std. Triple Comp.—Ledge Back	7½	56 x18	52½x14⅛	37	169.05	112.70
B-325-10	Coronado Std. Triple Comp.—Ledge Back	10	56 x18	52½x14⅛	39	179.82	119.88
B-325-12	Coronado Std. Triple Comp.—Ledge Back	12	56 x18	52½x14⅛	41	191.30	127.53

ALL PRICES ARE LESS FIXTURES AND STRAINERS

ALL PRICES F.O.B. BURBANK, CALIFORNIA • PRICES SUBJECT TO CHANGE WITHOUT NOTICE

ALL SINKS PACKED SINGLE CARTONS • ADDITIONAL CHARGE FOR EXPORT CRATING

SPECIFY STAINLESS STEEL CRUMB CUP STRAINERS FOR 3½" OPENINGS

ZEIGLER-HARRIS AND COMPANY

2900 NORTH SAN FERNANDO ROAD, BURBANK, CALIFORNIA

ZEIGLER~HARRIS & CO.

2900 NORTH SAN FERNANDO ROAD - BURBANK, CALIFORNIA

BEVERAGE BARS



MODEL Nº A-54-BT
POSITIVE SEAL FLANGE



MODEL Nº B-54-BT
CHANNEL RIM



MODEL Nº C-54-BT
CHANNEL RIM & BACKSPLASH

U.S. AND FOREIGN PAT.

SPECIFICATION:
TYPE 302, 18 GA. STAINLESS STEEL.
16 GA. MILD STEEL UNDERFRAMING.
BOWL SIZE: 9½ X 14½ X 6 I.D.
FAUCET & STRAINERS NOT INCLUDED.

MODEL Nº	SUGGESTED RETAIL	PLUMBERS
A-54-BT	$173.85	$115.90
B-54-BT	$173.85	$115.90
C-54-BT	$173.85	$115.90